

ENHANCERS

	ENHANCERS				
		MELANIN SUPPRESSANT	MELANIN SUPPRESSANT RX	PURE A	
	LACTIC ENZYME GEL PEEL (MUST NEUTRALIZE) Lactic Enzyme Gel Peel Acts as a degreaser to prep the skin for the peel treatment.	Application: Apply after removing Lactic Enzyme Gel Peel Benefits: These active skin brighteners penetrate deep within the skin and act as a superior defense by stabilizing melanin production. Conditions: - Hyperpigmentation - Melasma - Helps enhance chemical peels for those with hyperpigmentation	Application: Apply after removing Lactic Enzyme Gel Peel Benefits: These active skin brighteners penetrate deep within the skin and act as a superior defense by stabilizing melanin production. Contains 2% Hydroquinone. Conditions: - Hyperpigmentation - Melasma - Helps enhance chemical peels for those with hyperpigmentation	Application: Apply after removing Lactic Enzyme Gel Peel Benefits: Revitalizes sun damaged skin and accelerates the cellular renewal process. Conditions: - Hyperpigmentation - Sun Damage - Aging Conditions - Revitalizes sun damaged skin	
A C I	GREEN TEA GLYCOLIC PEEL (MUST NEUTRALIZE)	Application: Apply before peel application Benefits: These active skin brighteners penetrate deep within the skin and act as a superior defense by stabilizing melanin production. Conditions: - Hyperpigmentation - Melasma - Helps enhance chemical peels for those with hyperpigmentation	Application: Apply before peel application Benefits: These active skin brighteners penetrate deep within the skin and act as a superior defense by stabilizing melanin production. Contains 2% Hydroquinone. Conditions: - Hyperpigmentation - Melasma - Helps enhance chemical peels for those with hyperpigmentation	Application: Apply after peel application Benefits: Revitalizes sun damaged skin and accelerates the cellular renewal process. Conditions: - Hyperpigmentation - Sun Damage - Aging Conditions - Revitalizes sun damaged skin	
D S	ACNE PEEL (SELF-NEUTRALIZING)	Application: Apply after peel application	Application: Apply after peel application	Application: Apply after peel application	
3	50% GLYCOLIC ACID PEEL (MUST NEUTRALIZE)	Applybefore peel application Applybefore peel application	Application: Applybefore peel application	Application: Applybefore peel application	
	70% CRYOPROTECTIVE LACTIC ACID PEEL (MUST NEUTRALIZE)	Application: Apply before peel application Benefits: Revitalizes sun damaged skin and accelerates the cellular renewal process. Conditions: - Hyperpigmentation - Sun Damage - Aging Conditions - Revitalizes sun damaged skin	Application: Apply before peel application Benefits: These active skin brighteners penetrate deep within the skin and act as a superior defense by stabilizing melanin production. contains 2% Hydroquinone. Conditions: - Hyperpigmentation - Melasma - Helps enhance chemical peels for those with hyperpigmentation	Application: Apply after peel application Benefits: Revitalizes sun damaged skin and accelerates the cellular renewal process. Conditions: - Hyperpigmentation - Sun Damage - Aging Conditions - Revitalizes sun damaged skin	



ENHANCERS

		MELANIN SUPPRESSANT	MELANIN SUPPRESSANT RX	PURE A
	JESSNER PEEL (SELF-NEUTRALIZING)	Application: Apply before peel application Benefits: These active skin brighteners penetrate deep within the skin and act as a superior defense by stabilizing melanin production. Conditions: - Hyperpigmentation - Melasma - Helps enhance chemical peels for those with hyperpigmentation	Application: Apply before peel application Benefits: These active skin brighteners penetrate deep within the skin and act as a superior defense by stabilizing melanin production. contains 2% Hydroquinone. Conditions: - Hyperpigmentation - Melasma - Helps enhance chemical peels for those with hyperpigmentation	Due to the strength of the Jessner (0.7) and our Pure A concentration, the combination of these two would be too stimulating for the skin.
\ :	25% MANDELIC ACID PEEL (SELF-NEUTRALIZING)	Application: Apply before peel application Benefits: These active skin brighteners penetrate deep within the skin and act as a superior defense by stabilizing melanin production. Conditions: - Hyperpigmentation - Melasma - Helps enhance chemical peels for those with hyperpigmentation	Application: Apply before peel application Benefits: These active skin brighteners penetrate deep within the skin and act as a superior defense by stabilizing melanin production. Contains 2% Hydroquinone. Conditions: - Hyperpigmentation - Melasma - Helps enhance chemical peels for those with hyperpigmentation	Application: Apply after peel application Benefits: Revitalizes sun damaged skin and accelerates the cellular renewal process. Conditions: - Hyperpigmentation - Sun Damage - Aging Conditions - Revitalizes sun damaged skin
	TCA INTENSE (SELF-NEUTRALIZING)	Application: Apply before peel application Benefits: These active skin brighteners penetrate deep within the skin and act as a superior defense by stabilizing melanin production. Conditions: - Hyperpigmentation - Melasma - Helps enhance chemical peels for those with hyperpigmentation	Application: Apply before peel (optional: Apply Stem Cell Blend over peel) Benefits: TCA Intense works by coagulating proteins. This process will result in epidermal destruction, giving a medium depth peel, improving acne, acne scarring, sun damage, and aging skin. Conditions: Aging Uneven Tone & Texture Hyperpigmentation Fine Lines	Due to the strength of the TCA Intense (0.7) and our Pure A concentration, the combination of these two would be too stimulating for the skin.



		BOOSTERS		
		PURE C	STEM CELL BLEND	AZELAIC ACID
	LACTIC ENZYME GEL PEEL (MUST NEUTRALIZE)	Application: Apply after peel application Benefits: Highly stable and potent Vitamin C, gentle and non-drying THD (Tetrahexyldecyl Ascorbate), provides greater penetration into Keratinocytes and greater collagen production than Ascorbic Acid. Helps combat sun-induced skin damage, as well as improve skin texture and tone. Conditions: Hyperpigmentation Sun Damage Aging Conditions	Application: Apply after peel application Benefits: Provides skin immunity, re-balances stressed, damaged, sensitized skin cells. Stem cells help generate and target skin defenses to protects the skin from inflammation. Conditions: Rebuilds Integrity of the Skin Strengthens Underlying Skin Provides Protection	Application: Apply before peel application Benefits: Treats mild to moderate acne. It works in part by stopping the growth of skin bacteria that can help cause acne. Azelaic acid also helps to lessen acne by keeping skin pores clear. Recommended Fitzpatrick Types IV-VI. Conditions: - Sun Damage/ Aging Conditions - Hyperpigmentation - Acne/Rosacea Types II
	GREEN TEA GLYCOLIC PEEL (MUST NEUTRALIZE)	Application: Apply after peel application Benefits: Highly stable and potent Vitamin C, gentle and non-drying THD (Tetrahexyldecyl Ascorbate), provides greater penetration into Keratinocytes and greater collagen production than Ascorbic Acid. Helps combat sun-induced skin damage, as well as improve skin texture and tone. Conditions: Hyperpigmentation Sun Damage Aging Conditions	Application: Apply afterpeel application Benefits: Provides skin immunity, re-balances stressed, damaged, sensitized skin cells. Stem cells help generate and target skin defenses to protects the skin from inflammation. Conditions: Rebuilds Integrity of the Skin Strengthens Underlying Skin Provides Protection	Application: Apply before peel application Benefits: Treats mild to moderate acne. It works in part by stopping the growth of skin bacteria that can help cause acne. Azelaic acid also helps to lessen acne by keeping skin pores clear. Recommended Fitzpatrick Types IV-VI. Conditions: - Sun Damage/ Aging Conditions - Hyperpigmentation - Acne/Rosacea Types II
5	ACNE PEEL (SELF-NEUTRALIZING)	Application: Apply after peel application Benefits: Highly stable and potent Vitamin C, gentle and non-drying THD (Tetrahexyldecyl Ascorbate), provides greater penetration into Keratinocytes and greater collagen production than Ascorbic Acid. Helps combat sun-induced skin damage, as well as improve skin texture and tone. Conditions: - Hyperpigmentation - Sun Damage - Aging Conditions	Application: Apply after peel application Benefits: Provides skin immunity, re-balances stressed, damaged, sensitized skin cells. Stem cells help generate and target skin defenses to protects the skin from inflammation. Conditions: Rebuilds Integrity of the Skin Strengthens Underlying Skin Provides Protection	Application: Apply after peel application Benefits: Treats mild to moderate acne. It works in part by stopping the growth of skin bacteria that can help cause acne. Azelaic acid also helps to lessen acne by keeping skin pores clear. Recommended Fitzpatrick Types IV -VI. Conditions: - Sun Damage/ Aging Conditions - Hyperpigmentation - Acne/Rosacea Types II
	E0% CLYCOLIC	Application: Apply after peel application Benefits: Highly stable and potent Vitamin C, gentle and non-drying THD	Application: Apply after peel application Benefits: Provides skin immunity, re-balances stressed, damaged, sensitized skin cells.	Application: Apply before peel application Benefits: Treats mild to moderate acne. It works in part by stopping the growth of skin

50% GLYCOLIC **ACID PEEL** (MUST NEUTRALIZE)

(Tetrahexyldecyl Ascorbate), provides greater penetration into Keratinocytes and greater collagen production than Ascorbic Acid. Helps combat sun-induced skin damage, as well as improve skin texture and tone.

Conditions:

- Hyperpigmentation
- Sun Damage
- Aging Conditions



Stem cells help generate and target skin defenses to protects the skin from inflammation.

Conditions:

- Rebuilds Integrity of the Skin
- Strengthens Underlying Skin
- Provides Protection



bacteria that can help cause acne. Azelaic acid also helps to lessen acne by keeping skin pores clear. Recommended Fitzpatrick Types IV-VI.

Conditions:

- Sun Damage/ Aging Conditions
- Hyperpigmentation
- Acne/Rosacea Types II













	BOOSTERS		
	PURE C	STEM CELL BLEND	AZELAIC ACID
70% CRYOPROTECTIVE LACTIC ACID PEEL (MUST NEUTRALIZE)	Application: Apply after peel application Benefits: Highly stable and potent Vitamin C, gentle and non-drying THD (Tetrahexyldecyl Ascorbate), provides greater penetration into Keratinocytes and greater collagen production than Ascorbic Acid. Helps combat sun-induced skin damage, as well as improve skin texture and tone. Conditions: - Hyperpigmentation - Sun Damage - Aging Conditions	Application: Apply after peel application Benefits: Provides skin immunity, re-balances stressed, damaged, sensitized skin cells. Stem cells help generate and target skin defenses to protects the skin from inflammation. Conditions: Rebuilds Integrity of the Skin Strengthens Underlying Skin Provides Protection	Application: Apply before peel application Benefits: Treats mild to moderate acne. It works in part by stopping the growth of skin bacteria that can help cause acne. Azelaic acid also helps to lessen acne by keeping skin pores clear. Recommended Fitzpatrick Types IV -VI. Conditions: - Sun Damage/ Aging Conditions - Hyperpigmentation - Acne/Rosacea Types II
JESSNER PEEL (SELF-NEUTRALIZING)	Application: Apply after peel application Benefits: Highly stable and potent Vitamin C, gentle and non-drying THD (Tetrahexyldecyl Ascorbate), provides greater penetration into Keratinocytes and greater collagen production than Ascorbic Acid. Helps combat sun-induced skin damage, as well as improve skin texture and tone. Conditions: - Hyperpigmentation (Melasma) - Sun Damage - Aging Conditions - Acne Scars	Application: Apply after peel application Benefits: Provides skin immunity, re-balances stressed, damaged, sensitized skin cells. Stem cells help generate and target skin defenses to protects the skin from inflammation. Conditions: Rebuilds Integrity of the Skin Strengthens Underlying Skin Provides Protection	Due to the strength of the Salicylic acid in the Jessner and the pureness of our Azelaic Acid, the combination of these two would be too stimulating for the skin.
25% MANDELIC ACID PEEL (SELF-NEUTRALIZING)	Application: Apply after peel application Benefits: Highly stable and potent Vitamin C, gentle and non-drying THD (Tetrahexyldecyl Ascorbate), provides greater penetration into Keratinocytes and greater collagen production than Ascorbic Acid. Helps combat sun-induced skin damage, as well as improve skin texture and tone. Conditions: - Hyperpigmentation - Sun Damage - Aging Conditions	Application: Apply after peel application Benefits: Provides skin immunity, re-balances stressed, damaged, sensitized skin cells. Stem cells help generate and target skin defenses to protects the skin from inflammation. Conditions: Rebuilds Integrity of the Skin Strengthens Underlying Skin Provides Protection	Application: Apply in combination with Mandelic (cocktail) Benefits: Treats mild to moderate acne. It works in part by stopping the growth of skin bacteria that can help cause acne. Azelaic acid also helps to lessen acne by keeping skin pores clear. Recommended Fitzpatrick Types IV -VI. Conditions: Sun Damage/ Aging Conditions Hyperpigmentation Acne/Rosacea Types II
TCA INTENSE (SELF-NEUTRALIZING)	Application: Apply after peel application Benefits: Highly stable and potent Vitamin C, gentle and non-drying THD (Tetrahexyldecyl Ascorbate), provides greater penetration into Keratinocytes and greater collagen production than Ascorbic Acid. Helps combat sun-induced skin damage. as well as improve skin texture and tone.	Application: Apply over peel (optional: apply melanin Suppressant RX before peel) Benefits: Provides skin immunity, re-balances stressed, damaged, sensitized skin cell. Stem cells help generate and target skin defenses to protects the skin from inflammation.	Application: Apply before peel application Benefits: Treats mild to moderate acne. It works in part by stopping the growth of skin bacteria that can help cause acne. Azelaic acid also helps to lessen acne by keeping skin pores clear. Recommended Fitzpatrick Types IV -VI.

(SELF-NEUTRALIZING)

skin damage, as well as improve skin texture and tone.

Conditions:

- Hyperpigmentation
- Sun Damage
- Aging Conditions









Conditions:

Rebuilds Integrity of the Skin
Strengthens Underlying Skin
Provides Protection









Conditions:

- Sun Damage/ Aging Conditions
- Hyperpigmentation
- Acne/Rosacea Types II









